# FlexiCon 7"

Powerful and versatile data acquisition and analysis tool designed to meet the unique needs of industries such as Pharma, Chemical, and Process industries. Its advanced features and capabilities enable companies to make more informed decisions and improve their operations.

## **Key Features:**

- The built-in storage of up to 3 months, with extended storage capabilities via USB
- HTTPS server with a customizable web screen for easy accessibility and control
- Reports generation for data analysis and insights
- A web dashboard to provide real-time monitoring and control
- User profiles for personalized access and control
- FTP enabled for easy file transfer
- Trends and analytics for deeper data insights
- Cloud connect with MQTT for remote access and control
- Audit trails to track and monitor system activities
- 21 CFR compliance to ensure regulatory compliance
- 8 AI/O- 4-20mA / 0-10V input for versatile data acquisition.

## System Resources:

Display	. 7" TFT 16:9- 64K colors
Resolution	800x480, WVGA
Brightness	200 Cd/m2 Typ.
Dimming	. Yes
Touchscreen	Resistive
CPU	. 32-bit RISC dual core- 800 MHz
Operating System	. Linux RT
Flash	4 GB
RAM	. 1 GB
RTC. RTC Back-up. Buzzer	. Yes. Yes. No

#### Interface:

Ethernet port	2 (port 0- 10/100,
	port 1- 10/100)
USB port	. 2 (Host V2.0, max. 100 mA)
Serial port	2 (RS-232), 2 (RS-422/RS-485
	isolated), 2 (CAN 2.0b isolated)
SD card	No
Expansion	. No

## Ratings:

Power supply	24 Vdc (10 to 32 Vdc)
Current Consumption	. 0.3 A at 24 Vdc (max.)
Input Protection	Automatic
Battery	Rechargeable battery, not
	user-replaceable



# **Environment Conditions:**

Operating Temp	0 to +50°C (vertical installation)
Storage Temp	-20°C to +70°C
Operating / Storage Humidity	5-85% RH, non-condensing
Protection Class	IP66 (front), IP20 (rear)
	Type: 2 4X

# Approvals:

CE	Electromagnetic Compatibility
	Directive 2014/30/EU (EMC)
UL	cULus:UL508
DNV-GL	Yes
EU RO MR	Yes
RCM	Yes



1390, Mela Anuppanadi Housing Board Main Road, Near Indian Bank, Madurai, Tamil Nadu, 625009 Phone: +91 63793 00266 info@procommdynamics.com

